

Specification Information


Product Code: 135-A, 135-B, 135-C

Product Name: Manually Operated Universal Paper Towel Dispenser

Individual Carton UPC: 135-A: 624622135102, 135-B: 624622135201, 135-C: 624622135300

Individual Carton Shipping Dimensions: 53.3cm H x 36.8cm W x 17.1cm D (20" H x 14 $\frac{1}{2}$ " W x 6 $\frac{1}{2}$ " D) Individual Carton Shipping Weight: 135-A 8.2 kg (18 lbs), 135-B 8.6 kg (19 lbs), 135-C 9.5 kg (21 lbs)

Site Location: Frost's 135 series manual universal paper towel dispenser is available in recessed (135-A), semi-recessed (135-B) and surface mounted (135-C). Typically, this product is used for architectural applications, such as: Airports, Offices, Restaurants, or any environment requiring multiple dispensers in high traffic areas. The product's ease of use and maintenance, along with its compact and professional stainless steel look make it a popular option for high volume areas.



Features:

- Easy to operate and maintain
- Comes standard with keyed tumbler lock to reduce pilferage
- Door hinged with full length piano hinge
- Safety guarded saw tooth cutting bar
- Heavy duty Canadian stainless steel

Dispensing: Frost code 135 series is designed to dispense standard roll or multifold paper towels. The units are universal; meaning, the unit is non-proprietary and dispenses paper from standard commercial paper producers. This allows the end user to avoid getting locked into paper supply contracts and should save them money on their janitorial supplies. The product is manually operated when pulling on the exposed length of towel or by using the finger slot above the cutting bar.

Capacity: Frost 135 series manual universal paper towel dispenser will hold one standard paper towel roll or one package of standard multifold paper towels.



Specification Information

Materials:

• Front: 18 gauge type 304 stainless steel, no.4 brushed finish

Body: 20 gauge galvanized steel

• Collar (if selected): 18 gauge type 304 stainless steel, no. 4 brushed finish

Product Dimensions:

• 49.5cm H x 34.9cm W x 15.6cm D (19 ½" H x 13 ¾" W x 6 ½" D)

Product Weight:

• 135-A 7.7 kg (17 lbs), 135-B 8.2 kg (18 lbs), 135-C 9.0 kg (20 lbs)

Installation Guidelines: Code 135-A: Provide 46.4cm (18 %") high x 31.8cm (12 %") wide x 15.2cm (6") deep wall opening. Code135-B: Provide 46.4cm (18 %") high x 31.8cm (12 %") wide x 7.6cm (3") deep wall opening. The collar is secured between the recessed body flange and the wall. Drill mounting holes as required. For unrestricted access, bottom of unit to floor must be between 38.1cm and 121.9cm (15" to 48"). Mark mounting holes against the mounting surface using a pencil and level. Use appropriate screws and anchors for the material that unit will be mounted to. Use a screw driver or power drill to drill screws in the desired mounting surface and attach the dispenser. If in doubt, please consult a qualified tradesperson.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discolouration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discolouration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has begun to eat away at the steel on a unit then the unit will likely need to be replaced. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions and soaps mentioned above. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.